

**IN THE CLAIMS**

1. (original) A kit, comprising arsenic trioxide and instructions for the administration of said arsenic trioxide to a patient diagnosed with acute promyelocytic leukemia, comprising delivering a therapeutically effective dosage amount of about 0.15 mg/kg of said arsenic trioxide wherein said amount is based upon the weight of said patient.

2. (original) The kit of claim 1, further comprising instructions wherein said arsenic trioxide is delivered to said patient until bone marrow remission, which constitutes a first administration.

3. (original) The kit of claim 2, further comprising instructions for a second administration of said arsenic trioxide, wherein said second administration comprises a therapeutically effective dosage amount of about 0.15 mg/kg of said arsenic trioxide for 25 doses.

4. (original) The kit of claim 3, wherein further comprising instructions wherein said second administration is administered 3 to 6 weeks after the first administration.

5. (original) The kit of claim 4, further comprising instructions wherein said second administration is administered for up to five weeks.

6. (original) The kit of claim 5, further comprising instructions wherein said second administration is administered at five doses per week.

7. (original) The kit of claim 3, further comprising instructions for repeating said second administration.

8. (original) The kit of claim 7, further comprising instructions wherein said second administration is repeated every 3 to 6 weeks.

9. (original) The kit of claim 8, further comprising instructions wherein said second administration is

repeated until a total of between two and ten cycles of said second administration are completed.

10. (original) The kit of claim 9, further comprising instructions for repeating said second administration until a total of two cycles of said second administration are completed.

11. (original) The kit of claim 9, further comprising instructions for repeating said second administration until a total of ten cycles of said second administration are completed.

12. (original) The kit of claim 1, further comprising instructions wherein said arsenic trioxide is delivered to said patient for sixty days, which constitutes a first administration.

13. (original) The kit of claim 12, further comprising instructions for a second administration of said arsenic trioxide, wherein said second administration comprises a therapeutically effective dosage amount of about 0.15 mg/kg of arsenic trioxide for 25 doses.

14. (original) The kit of claim 13, wherein further comprising instructions wherein said second administration is administered 3 to 6 weeks after the first administration.

15. (original) The kit of claim 14, further comprising instructions wherein said second administration is administered for up to five weeks.

16. (original) The kit of claim 15, further comprising instructions wherein said second administration is administered at five doses per week.

17. (original) The kit of claim 13, further comprising instructions for repeating said second administration.

18. (original) The kit of claim 17, further comprising instructions wherein said second administration is repeated every 3 to 6 weeks.

19. (original) The kit of claim 18, further comprising instructions wherein said second administration is repeated until a total of between two and ten cycles of said second administration are completed.

20. (original) The kit of claim 19, further comprising instructions for repeating said second administration until a total of two cycles of said second administration are completed.

21. (original) The kit of claim 19, further comprising instructions for repeating said second administration until a total of ten cycles of said second administration are completed.